



**Copper  
Tubing  
Africa**

# **COPPER TUBING AND ACCESSORIES**

**PRODUCT CATALOGUE**



[www.coppertubing.co.za](http://www.coppertubing.co.za)

# CONTENTS

|                                 |           |
|---------------------------------|-----------|
| <b>COPPER TUBE</b>              | <b>3</b>  |
| Domestic Cut Length             | 4         |
| Domestic HT Econo Plumbing      | 4         |
| <b>FITTINGS</b>                 | <b>5</b>  |
| Capillary Fittings - SABS       | 5         |
| Compression Fittings - SABS     | 10        |
| Capillary Fittings - NON SABS   | 13        |
| Compression Fittings - NON SABS | 17        |
| <b>ACCESSORIES</b>              | <b>20</b> |
| <b>COPLON INSULATION</b>        | <b>22</b> |
| Coplon                          | 22        |
| <b>UNITWIST</b>                 | <b>23</b> |
| Multilayer Pipes                | 23        |
| <b>POLYCOP</b>                  | <b>24</b> |
| Polycop Fittings                | 24        |
| <b>BRAIDED CONNECTORS</b>       | <b>25</b> |
| <b>ADVANCED VALVES</b>          | <b>26</b> |
| <b>WASTE TRAPS</b>              | <b>26</b> |
| <b>COPPER TUBE</b>              | <b>27</b> |
| Refrigeration - R22             | 27        |
| Co2                             | 27        |
| Refrigeration - R410A           | 28        |
| Soft Drawn Coils                | 28        |
| <b>FITTINGS</b>                 | <b>29</b> |
| Imperial Fittings               | 29        |
| <b>COPPER TUBE</b>              | <b>30</b> |
| Medical Grade Copper Tube       | 30        |

# COPPER TUBE

| CTA Code |       | Size | Description       | Weight | Wall |
|----------|-------|------|-------------------|--------|------|
| 15       | 460/0 | 15   | 5.5 Meter Lengths | 1,12   | 0,50 |
| 22       | 460/0 | 22   | 5.5 Meter Lengths | 1,98   | 0,60 |
| 28       | 460/0 | 28   | 5.5 Meter Lengths | 2,53   | 0,60 |
| 35       | 460/0 | 35   | 5.5 Meter Lengths | 3,95   | 0,75 |
| 42       | 460/0 | 42   | 5.5 Meter Lengths | 5,69   | 0,90 |
| 54       | 460/0 | 54   | 5.5 Meter Lengths | 9,74   | 1,20 |
| 67       | 460/0 | 67   | 5.5 Meter Lengths | 15,04  | 1,50 |
| 76       | 460/0 | 76   | 5.5 Meter Lengths | 19,45  | 1,70 |
| 108      | 460/0 | 108  | 5.5 Meter Lengths | 37,39  | 2,30 |
|          |       |      |                   |        |      |
| 15       | 460/1 | 15   | 5.5 Meter Lengths | 1,54   | 0,70 |
| 22       | 460/1 | 22   | 5.5 Meter Lengths | 2,92   | 0,90 |
| 28       | 460/1 | 28   | 5.5 Meter Lengths | 3,75   | 0,90 |
| 35       | 460/1 | 35   | 5.5 Meter Lengths | 6,24   | 1,20 |
| 42       | 460/1 | 42   | 5.5 Meter Lengths | 7,53   | 1,20 |
| 54       | 460/1 | 54   | 5.5 Meter Lengths | 9,74   | 1,20 |
| 67       | 460/1 | 67   | 5.5 Meter Lengths | 15,04  | 1,50 |
| 76       | 460/1 | 76   | 5.5 Meter Lengths | 19,45  | 1,70 |
| 108      | 460/1 | 108  | 5.5 Meter Lengths | 37,39  | 2,30 |
|          |       |      |                   |        |      |
| 15       | 460/2 | 15   | 5.5 Meter Lengths | 2,15   | 1,00 |
| 22       | 460/2 | 22   | 5.5 Meter Lengths | 3,23   | 1,00 |
| 28       | 460/2 | 28   | 5.5 Meter Lengths | 4,95   | 1,20 |
| 35       | 460/2 | 35   | 5.5 Meter Lengths | 7,73   | 1,50 |
| 42       | 460/2 | 42   | 5.5 Meter Lengths | 9,34   | 1,50 |
| 54       | 460/2 | 54   | 5.5 Meter Lengths | 16,00  | 2,00 |
| 67       | 460/2 | 67   | 5.5 Meter Lengths | 19,90  | 2,00 |
| 76       | 460/2 | 76   | 5.5 Meter Lengths | 22,76  | 2,00 |
| 108      | 460/2 | 108  | 5.5 Meter Lengths | 40,56  | 2,50 |
|          |       |      |                   |        |      |
| 15       | 460/3 | 15   | 5.5 Meter Lengths | 2,55   | 1,20 |
| 22       | 460/3 | 22   | 5.5 Meter Lengths | 4,73   | 1,50 |
| 28       | 460/3 | 28   | 5.5 Meter Lengths | 6,11   | 1,50 |
| 35       | 460/3 | 35   | 5.5 Meter Lengths | 10,15  | 2,00 |
| 42       | 460/3 | 42   | 5.5 Meter Lengths | 12,30  | 2,00 |
| 54       | 460/3 | 54   | 5.5 Meter Lengths | 19,80  | 2,50 |
| 67       | 460/3 | 67   | 5.5 Meter Lengths | 24,68  | 2,50 |
| 76       | 460/3 | 76   | 5.5 Meter Lengths | 28,26  | 2,50 |
| 108      | 460/3 | 108  | 5.5 Meter Lengths | 51,58  | 3,20 |

# COPPER TUBE

## Domestic Cut length

| Code         | Size | Description        | Weight | Wall   |
|--------------|------|--------------------|--------|--------|
| 15/0CP2500   | 15   | 2.75 Meter Lengths | 0,56   | 0.50mm |
| 22/0CP2500   | 22   | 2.75 Meter Lengths | 0,99   | 0.60mm |
| 15/0CP2500   | 15   | 2.5 Meter Lengths  | 0,51   | 0.50mm |
| 22/0CP2500   | 22   | 2.5 Meter Lengths  | 0,90   | 0.60mm |
| 15/0 CP 2000 | 15   | 2 Meter Lengths    | 0,41   | 0.50mm |
| 22/0 CP 2000 | 22   | 2 Meter Lengths    | 0,72   | 0.60mm |
| 15/1 CP 2000 | 15   | 2 Meter Lengths    | 0,56   | 0.70mm |
| 22/1 CP 2000 | 22   | 2 Meter Lengths    | 1,06   | 0.90mm |
| 15/2 CP 2000 | 15   | 2 Meter Lengths    | 0,78   | 1.00mm |
| 22/2 CP 2000 | 22   | 2 Meter Lengths    | 1,17   | 1.00mm |
| 15/0 CP 1500 | 15   | 1.5 Meter Lengths  | 0,31   | 0.50mm |
| 22/0 CP 1500 | 22   | 1.5 Meter Lengths  | 0,54   | 0.60mm |
| 15/1 CP 1500 | 15   | 1.5 Meter Lengths  | 0,42   | 0.70mm |
| 22/1 CP 1500 | 22   | 1.5 Meter Lengths  | 0,80   | 0.90mm |
| 15/2 CP 1500 | 15   | 1.5 Meter Lengths  | 0,59   | 1.00mm |
| 22/2 CP 1500 | 22   | 1.5 Meter Lengths  | 0,88   | 1.00mm |
| 15/0 CP 1000 | 15   | 1.0 Meter Lengths  | 0,20   | 0.50mm |
| 22/0 CP 1000 | 22   | 1.0 Meter Lengths  | 0,36   | 0.60mm |
| 15/1CP 1000  | 15   | 1.0 Meter Lengths  | 0,28   | 0.70mm |
| 22/1 CP 1000 | 22   | 1.0 Meter Lengths  | 0,53   | 0.90mm |



## Domestic Econo Plumbing

| Code     | Size | Description                       |
|----------|------|-----------------------------------|
| 15/0 ECO | 15   | 5.5M Length 15mm Class 0 Eco Tube |
| 22/0 ECO | 22   | 5.5M Length 22mm Class 0 Eco Tube |



# FITTINGS

## Capillary Fittings - SABS



|         |                                 |
|---------|---------------------------------|
| SSL15S  | Slip Coupler C x C 15mm - SABS  |
| SSL22S  | Slip Coupler C x C 22mm - SABS  |
| SSL28S  | Slip Coupler C x C 28mm - SABS  |
| SSL35S  | Slip Coupler C x C 35mm - SABS  |
| SSL42S  | Slip Coupler C x C 42mm - SABS  |
| SSL54S  | Slip Coupler C x C 54mm - SABS  |
| SSL67S  | Slip Coupler C x C 67mm - SABS  |
| SSL76S  | Slip Coupler C x C 76mm - SABS  |
| SSL108S | Slip Coupler C x C 108mm - SABS |



|         |                                     |
|---------|-------------------------------------|
| SSC15S  | Straight Coupler C x C 15mm - SABS  |
| SSC22S  | Straight Coupler C x C 22mm - SABS  |
| SSC28S  | Straight Coupler C x C 28mm - SABS  |
| SSC35S  | Straight Coupler C x C 35mm - SABS  |
| SSC42S  | Straight Coupler C x C 42mm - SABS  |
| SSC54S  | Straight Coupler C x C 54mm - SABS  |
| SSC67S  | Straight Coupler C x C 67mm - SABS  |
| SSC76S  | Straight Coupler C x C 76mm - SABS  |
| SSC108S | Straight Coupler C x C 108mm - SABS |



|            |                                                |
|------------|------------------------------------------------|
| SRSCF2215S | Reducing Straight Coupler C X C 22 x 15 - SABS |
| SRSCF2815S | Reducing Straight Coupler C X C 28 x 15 - SABS |
| SRSCF2822S | Reducing Straight Coupler C X C 28 x 22 - SABS |
| SRSCF3522S | Reducing Straight Coupler C X C 35 x 22 - SABS |
| SRSCF3528S | Reducing Straight Coupler C X C 35 x 28 - SABS |
| SRSCF4235S | Reducing Straight Coupler C X C 42 x 35 - SABS |
| SRSCF5428S | Reducing Straight Coupler C X C 54 x 28 - SABS |
| SRSCF5442S | Reducing Straight Coupler C X C 54 x 42 - SABS |
| SRSCF7642S | Reducing Straight Coupler C X C 76 x 42 - SABS |



|        |                                                 |
|--------|-------------------------------------------------|
| STC15S | Straight Tap Connector C x FI 15mm x 1/2 - SABS |
| STC22S | Straight Tap Connector C x FI 22mm x 3/4 - SABS |



# FITTINGS

## Capillary Fittings - SABS



|            |                                            |
|------------|--------------------------------------------|
| SFRM2215S  | Fitting Reducer Male C x C 22 x 15 - SABS  |
| SFRM2815S  | Fitting Reducer Male C x C 28 x 15 - SABS  |
| SFRM2822S  | Fitting Reducer Male C x C 28 x 22 - SABS  |
| SFRM3515S  | Fitting Reducer Male C x C 35 x 15 - SABS  |
| SFRM3522S  | Fitting Reducer Male C x C 35 x 22 - SABS  |
| SFRM3528S  | Fitting Reducer Male C x C 35 x 28 - SABS  |
| SFRM4215S  | Fitting Reducer Male C x C 42 x 15 - SABS  |
| SFRM4222S  | Fitting Reducer Male C x C 42 x 22 - SABS  |
| SFRM4228S  | Fitting Reducer Male C x C 42 x 28 - SABS  |
| SFRM4235S  | Fitting Reducer Male C x C 42 x 35 - SABS  |
| SFRM5415S  | Fitting Reducer Male C x C 54 x 15 - SABS  |
| SFRM5422S  | Fitting Reducer Male C x C 54 x 22 - SABS  |
| SFRM5428S  | Fitting Reducer Male C x C 54 x 28 - SABS  |
| SFRM5435S  | Fitting Reducer Male C x C 54 x 35 - SABS  |
| SFRM5442S  | Fitting Reducer Male C x C 54 x 42 - SABS  |
| SFRM6728S  | Fitting Reducer Male C x C 67 x 28 - SABS  |
| SFRM6754S  | Fitting Reducer Male C x C 67 x 54 - SABS  |
| SFRM7635S  | Fitting Reducer Male C x C 76 x 35 - SABS  |
| SFRM7642S  | Fitting Reducer Male C x C 76 x 42 - SABS  |
| SFRM7654S  | Fitting Reducer Male C x C 76 x 54 - SABS  |
| SFRM7667S  | Fitting Reducer Male C x C 76 x 67 - SABS  |
| SFRM10854S | Fitting Reducer Male C x C 108 x 54 - SABS |
| SFRM10876S | Fitting Reducer Male C x C 108 x 76 - SABS |



|          |                                            |
|----------|--------------------------------------------|
| SCFI15S  | Straight Coupler 15 x 1/2" FI x C - SABS   |
| SCFI22S  | Straight Coupler 22 x 3/4" FI x C - SABS   |
| SCFI28S  | Straight Coupler 28 x 1" FI x C - SABS     |
| SCFI35S  | Straight Coupler 35 x 1 1/4" FI x C - SABS |
| SCFI42S  | Straight Coupler 42 x 1 1/2" FI x C - SABS |
| SCFI54S  | Straight Coupler 54 x 2" FI x C - SABS     |
| SCFI76S  | Straight Coupler 76 x 3" FI x C - SABS     |
| SCFI108S | Straight Coupler 108 x 4" FI x C - SABS    |
| SSC108S  | Straight Coupler C x C 108mm - SABS        |



# FITTINGS

## Capillary Fittings - SABS



SCFIR15BS

Reducing Straight Coupler FI x C 15 x 3/4 - SABS



SCMI15S

Straight Coupler 15 x 1/2" MI x C - SABS

SCMI22S

Straight Coupler 22 x 3/4" MI x C - SABS

SCMI28S

Straight Coupler 28 x 1 MI x C - SABS

SCMI35S

Straight Coupler 35 x 1 1/4" MI x C - SABS

SCMI42S

Straight Coupler 42 x 1 1/2" MI x C - SABS

SCMI54S

Straight Coupler 54 x 2" MI x C - SABS

SCMI67S

Straight Coupler 67x 3" MI x C - SABS

SCMI76S

Straight Coupler 76 x 3" MI x C - SABS

SCMI108S

Straight Coupler 108 x 4" MI x C - SABS



SCMIR15BS

Reducing Straight Coupler MI x C 15 x 3/4 - SABS



SCE4515S

45o Elbow C x C 15mm - SABS

SCE4522S

45o Elbow C x C 22mm - SABS

SCE4528S

45o Elbow C x C 28mm - SABS

SCE4535S

45o Elbow C x C 35mm - SABS

SCE4542S

45o Elbow C x C 42mm - SABS

SCE4554S

45o Elbow C x C 54mm - SABS

SCE4567S

45o Elbow C x C 67mm - SABS

SCE4576S

45o Elbow C x C 76mm - SABS

SCE45108S

45o Elbow C x C 108mm - SABS



SCE15S

90o Elbow C x C 15mm - SABS

SCE22S

90o Elbow C x C 22mm - SABS

SCE28S

90o Elbow C x C 28mm - SABS

SCE35S

90o Elbow C x C 35mm - SABS

SCE42S

90o Elbow C x C 42mm - SABS

SCE54S

90o Elbow C x C 54mm - SABS

SCE67S

90o Elbow C x C 67mm - SABS

SCE76S

90o Elbow C x C 76mm - SABS

SCE108S

90o Elbow C x C 108mm - SABS



SCER2215S

Reducing Elbow 90 deg C x C - SABS

# FITTINGS

## Capillary Fittings - SABS

|                                                                                     |            |                                              |
|-------------------------------------------------------------------------------------|------------|----------------------------------------------|
|    | SCFIE15S   | Elbow 90o FI x C 15 x 1/2" - SABS            |
|                                                                                     | SCFIE22S   | Elbow 90o FI x C 22 x 3/4" - SABS            |
|                                                                                     | SCFIE28S   | Elbow 90o FI x C 28 x 1" - SABS              |
|                                                                                     | SCFIE35S   | Elbow 90o FI x C 35 x 1 1/4" - SABS          |
|                                                                                     | SCFIE42S   | Elbow 90o FI x C 42 x 1 1/2" - SABS          |
|                                                                                     | SCFIE54S   | Elbow 90o FI x C 54 x 2" - SABS              |
|    | SCFIRE15BS | Reducing Elbow 90 deg FI x C 15 x 3/4 - SABS |
|    | SCWPE15S   | Wallplate Elbow FI x C 15 x 1/2 - SABS       |
|                                                                                     | SCWPE22S   | Wallplate Elbow FI x C 22 x 3/4 - SABS       |
|   | SCMIE15S   | Elbow 90o MI x C 15 x 1/2" - SABS            |
|                                                                                     | SCMIE22S   | Elbow 90o MI x C 22 x 3/4" - SABS            |
|                                                                                     | SCMIE28S   | Elbow 90o MI x C 28 x 1" -SABS               |
|                                                                                     | SCMIE35S   | Elbow 90o MI x C 35 x 1 1/4" -SABS           |
|                                                                                     | SCMIE42S   | Elbow 90o MI x C 42 x 1 1/2" -SABS           |
|  | SCMIRE15BS | Reducing Elbow 90 deg MI x C 15 x 3/4 - SABS |
|  | SCT15S     | Equal Tee C x C x C 15 - SABS                |
|                                                                                     | SCT22S     | Equal Tee C x C x C 22 - SABS                |
|                                                                                     | SCT28S     | Equal Tee C x C x C 28 - SABS                |
|                                                                                     | SCT35S     | Equal Tee C x C x C 35 - SABS                |
|                                                                                     | SCT42S     | Equal Tee C x C x C 42 - SABS                |
|                                                                                     | SCT54S     | Equal Tee C x C x C 54 - SABS                |
|                                                                                     | SCT67S     | Equal Tee C x C x C 67 - SABS                |
|                                                                                     | SCT76S     | Equal Tee C x C x C 76 - SABS                |
|                                                                                     | SCT108S    | Equal Tee C x C x C 108 - SABS               |

# FITTINGS

## Capillary Fittings - SABS




|               |                                       |
|---------------|---------------------------------------|
| SCRT151522S   | Reducing Tee C x C x C 15 x 15 x 22   |
| SCRT221515S   | Reducing Tee C x C x C 22 x 15 x 15   |
| SCRT221522S   | Reducing Tee C x C x C 22 x 15 x 22   |
| SCRT222215S   | Reducing Tee C x C x C 22 x 22 x 15   |
| SCRT222228S   | Reducing Tee C x C x C 22 x 22 x 28   |
| SCRT282222S   | Reducing Tee C x C x C 28 x 22 x 22   |
| SCRT282228S   | Reducing Tee C x C x C 28 x 22 x 28   |
| SCRT282815S   | Reducing Tee C x C x C 28 x 28 x 15   |
| SCRT282822S   | Reducing Tee C x C x C 28 x 28 x 22   |
| SCRT353515S   | Reducing Tee C x C x C 35 x 35 x 15   |
| SCRT353522S   | Reducing Tee C x C x C 35 x 35 x 22   |
| SCRT353528S   | Reducing Tee C x C x C 35 x 35 x 28   |
| SCRT424215S   | Reducing Tee C x C x C 42 x 42 x 15   |
| SCRT424222S   | Reducing Tee C x C x C 42 x 42 x 22   |
| SCRT424228S   | Reducing Tee C x C x C 42 x 42 x 28   |
| SCRT424235S   | Reducing Tee C x C x C 42 x 42 x 35   |
| SCRT545422S   | Reducing Tee C x C x C 54 x 54 x 22   |
| SCRT545428S   | Reducing Tee C x C x C 54 x 54 x 28   |
| SCRT545435S   | Reducing Tee C x C x C 54 x 54 x 35   |
| SCRT545442S   | Reducing Tee C x C x C 54 x 54 x 42   |
| SCRT676742S   | Reducing Tee C x C x C 67 x 67 x 42   |
| SCRT676754S   | Reducing Tee C x C x C 67 x 67 x 54   |
| SCRT767622S   | Reducing Tee C x C x C 76 x 76 x 22   |
| SCRT767635S   | Reducing Tee C x C x C 76 x 76 x 35   |
| SCRT767642S   | Reducing Tee C x C x C 76 x 76 x 42   |
| SCRT767654S   | Reducing Tee C x C x C 76 x 76 x 54   |
| SCRT10810854S | Reducing Tee C x C x C 108 x 108 x 54 |



|          |                              |
|----------|------------------------------|
| SCFIT15S | Tee C x C x FI 15 x 15 x 1/2 |
| SCFIT22S | Tee C x C x FI 22 x 22 x 3/4 |



|         |                   |
|---------|-------------------|
| STEC15S | Tube End Cap 15mm |
| STEC22S | Tube End Cap 22mm |
| STEC28S | Tube End Cap 28mm |
| STEC35S | Tube End Cap 35mm |
| STEC42S | Tube End Cap 42mm |
| STEC54S | Tube End Cap 54mm |



# FITTINGS

## Capillary Fittings - SABS

|                                                                                   |        |                           |
|-----------------------------------------------------------------------------------|--------|---------------------------|
|  | SFC15S | Full Crossover C x C 15mm |
|                                                                                   | SFC22S | Full Crossover C x C 22mm |
|  | TS15S  | Tube Strap 15mm - SABS    |
|                                                                                   | TS22S  | Tube Strap 22mm - SABS    |

## Compression Fittings - SABS

|                                                                                     |         |                                           |
|-------------------------------------------------------------------------------------|---------|-------------------------------------------|
|   | CC15S   | Straight Coupler C x C 15mm               |
|                                                                                     | CC22S   | Straight Coupler C x C 22mm -             |
|                                                                                     | CC28S   | Straight Coupler C x C 28mm               |
|                                                                                     | CC35S   | Straight Coupler C x C 35mm               |
|                                                                                     | CC42S   | Straight Coupler C x C 42mm               |
|                                                                                     | CC54S   | Straight Coupler C x C 54mm               |
|  | CCMI15S | Straight Coupler C x MI 15 x 1/2          |
|                                                                                     | CCMI22S | Straight Coupler C x MI 22 x 3/4          |
|                                                                                     | CCMI28S | Straight Coupler C x MI 28 x 1            |
|                                                                                     | CCMI35S | Straight Coupler C x MI 35 x 1 1/4        |
|                                                                                     | CCMI42S | Straight Coupler C x MI 42 x 1 1/2        |
|                                                                                     | CCMI54S | Straight Coupler C x MI 54 x 2            |
|  | CCFI15S | Straight Coupler C x FI 15 x 1/2 - SABS   |
|                                                                                     | CCFI22S | Straight Coupler C x FI 22 x 3/4 - SABS   |
|                                                                                     | CCFI28S | Straight Coupler C x FI 28 x 1 - SABS     |
|                                                                                     | CCFI35S | Straight Coupler C x FI 35 x 1 1/4 - SABS |
|                                                                                     | CCFI42S | Straight Coupler C x FI 42 x 1 1/2 - SABS |
|                                                                                     | CCFI54S | Straight Coupler C x FI 54 x 2 - SABS     |
|  | CCE15S  | Elbows C x C 15mm                         |
|                                                                                     | CCE22S  | Elbows C x C 22mm                         |
|                                                                                     | CCE28S  | Elbows C x C 28mm                         |
|                                                                                     | CCE35S  | Elbows C x C 35mm                         |
|                                                                                     | CCE42S  | Elbows C x C 42mm                         |
|                                                                                     | CCE54S  | Elbows C x C 54mm                         |

# FITTINGS

## Compression Fittings - SABS



|          |                        |
|----------|------------------------|
| CCMIE15S | Elbows C x MI 15 x 1/2 |
| CCMIE22S | Elbows C x MI 22 x 3/4 |
| CCMIE28S | Elbows C x MI 28 x 1   |



|          |                                |
|----------|--------------------------------|
| CCFIE15S | Elbow 90 deg C x FI 15 x 1/2   |
| CCFIE22S | Elbow 90 deg C x FI 22 x 3/4   |
| CCFIE28S | Elbow 90 deg C x FI 28 x 1     |
| CCFIE35S | Elbow 90 deg C x FI 35 x 1 1/4 |
| CCFIE42S | Elbow 90 deg C x FI 42 x 1 1/2 |
| CCFIE54S | Elbow 90 deg C x FI 54 x 2     |



|            |                                         |
|------------|-----------------------------------------|
| CCFIWPE15S | Wallplate Elbows 90 deg C x FI 15 x 1/2 |
| CCFIWPE22S | Wallplate Elbows 90 deg C x FI 22 x 3/4 |



|           |                                           |
|-----------|-------------------------------------------|
| CCFISE15S | Swivel Elbow 90 deg C x FI 15 x 1/2 -SABS |
|-----------|-------------------------------------------|



|        |                     |
|--------|---------------------|
| CCT15S | Tees C x C x C 15mm |
| CCT22S | Tees C x C x C 22mm |
| CCT28S | Tees C x C x C 28mm |
| CCT35S | Tees C x C x C 35mm |
| CCT42S | Tees C x C x C 42mm |
| CCT54S | Tees C x C x C 54mm |



|          |                               |
|----------|-------------------------------|
| CCFIT15S | Tees C x C x FI 15 x 15 x 1/2 |
| CCFIT22S | Tees C x C x FI 22 x 22 x 3/4 |



|          |                                         |
|----------|-----------------------------------------|
| CCR2215S | Reducing Straight Coupler C x C 22 x 15 |
| CCR2822S | Reducing Straight Coupler C x C 28 x 22 |



|           |                                           |
|-----------|-------------------------------------------|
| CCMIR15BS | Reducing Straight Coupler C x MI 15 x 3/4 |
|-----------|-------------------------------------------|



|           |                                           |
|-----------|-------------------------------------------|
| CCFIR15BS | Reducing Straight Coupler C x FI 15 x 3/4 |
|-----------|-------------------------------------------|



|           |                              |
|-----------|------------------------------|
| CCRE2215S | Reducing Elbow C x C 22 x 15 |
|-----------|------------------------------|

# FITTINGS

## Compression Fittings - SABS



CCMIRE15BS

Reducing Elbow C x MI 15 x 3/4



CCFIRE15BS

Reducing Elbow C x FI 15 x 3/4



CCSE15S

Stop End 15mm

CCSE22S

Stop End 22mm



CCTR151522S

Reducing Tee 15x15x22

CCTR221515S

Reducing Tee 22x15x15

CCTR221522S

Reducing Tee 22x15x22

CCTR222215S

Reducing Tee 22x22x15

CCTR222228S

Reducing Tee 22x22x28



CPTA15S

Pillar Tap Adaptor 15mm

CPTA22S

Pillar Tap Adaptor 22mm



CN15S

Spare Capnut 15mm

CN22S

Spare Capnut 22mm

CN28S

Spare Capnut 28mm

CN35S

Spare Capnut 35mm

CN42S

Spare Capnut 42mm

CN54S

Spare Capnut 54mm



CR15S

Spare Ring 15mm

CR22S

Spare Ring 22mm

CR28S

Spare Ring 28mm

CR35S

Spare Ring 35mm

CR42S

Spare Ring 42mm

CR54S

Spare Ring 54mm



CRSIP2215S

Reducer 22 x 15

# FITTINGS

## Capillary Fittings - NON SABS

|                                                                                     |           |                                         |
|-------------------------------------------------------------------------------------|-----------|-----------------------------------------|
|    | SSL15     | Slip Coupler C x C 15mm                 |
|                                                                                     | SSL22     | Slip Coupler C x C 22mm                 |
|                                                                                     | SSL108    | Slip Coupler C x C 108mm                |
|    | SSC15     | Straight Coupler C x C 15mm             |
|                                                                                     | SSC22     | Straight Coupler C x C 22mm             |
|                                                                                     | SSC28     | Straight Coupler C x C 28mm             |
|                                                                                     | SSC42     | Straight Coupler C x C 42mm             |
|                                                                                     | SSC54     | Straight Coupler C x C 54mm             |
|                                                                                     | SSC108    | Straight Coupler C x C 108mm            |
|   | SRSCF2815 | Reducing Straight Coupler C X C 28 x 15 |
|                                                                                     | SRSCF2822 | Reducing Straight Coupler C X C 28 x 22 |
|                                                                                     | SRSCF3528 | Reducing Straight Coupler C X C 35 x 28 |
|                                                                                     | SRSCF4235 | Reducing Straight Coupler C X C 42 x 35 |
|  | STC15     | Straight Tap Connector C x FI 15mm x1/2 |
|  | SFRM2215  | Fitting Reducer Male C x C 22 x 15      |
|                                                                                     | SFRM2815  | Fitting Reducer Male C x C 28 x 15      |
|                                                                                     | SFRM2822  | Fitting Reducer Male C x C 28 x 22      |
|                                                                                     | SFRM3515  | Fitting Reducer Male C x C 35 x 15      |
|                                                                                     | SFRM3528  | Fitting Reducer Male C x C 35 x 28      |
|                                                                                     | SFRM4215  | Fitting Reducer Male C x C 42 x15       |
|                                                                                     | SFRM4222  | Fitting Reducer Male C x C 42 x 22      |
|  | SCFI15    | Straight Coupler 15 x 1/2" FI x C       |
|                                                                                     | SCFI22    | Straight Coupler 22 x 3/4" FI x C       |
|                                                                                     | SCFI28    | Straight Coupler 28 x 1" FI x C         |
|                                                                                     | SCFI35    | Straight Coupler 35 x 1 1/4" FI x C     |
|                                                                                     | SCFI42    | Straight Coupler 42 x 1 1/2" FI x C     |

# FITTINGS

## Capillary Fittings - NON SABS



SCFIR15BS

Reducing Straight Coupler FI x C 15 x 3/4



SCMI15

Straight Coupler 15 x 1/2" MI x C

SCMI22

Straight Coupler 22 x 3/4" MI x C

SCMI28

Straight Coupler 28 x 1 MI x C

SCMI35

Straight Coupler 35 x 1 1/4" MI x C

SCMI42

Straight Coupler 42 x 1 1/2" MI x C



SCMIR15B

Reducing Straight Coupler MI x C 15 x 3/4



SCE4515

45o Elbow C x C 15mm

SCE4522

45o Elbow C x C 22mm

SCE4528

45o Elbow C x C 28mm

SCE4554

45o Elbow C x C 54mm

SCE4567

45o Elbow C x C 67mm

SCE45108

45o Elbow C x C 108mm



SCE15

90o Elbow C x C 15mm

SCE22

90o Elbow C x C 22mm

SCE28

90o Elbow C x C 28mm

SCE35

90o Elbow C x C 35mm

SCE42

90o Elbow C x C 42mm

SCE54

90o Elbow C x C 54mm

SCE67

90o Elbow C x C 67mm

SCE76

90o Elbow C x C 76mm

SCE108

90o Elbow C x C 108mm



SCER2215S

Reducing Elbow 90 deg C x C - SABS

# FITTINGS

## Capillary Fittings - NON SABS

|                                                                                     |           |                                       |
|-------------------------------------------------------------------------------------|-----------|---------------------------------------|
|    | SCFIE15   | Elbow 90o FI x C 15 x 1/2"            |
|                                                                                     | SCFIE22   | Elbow 90o FI x C 22 x 3/4"            |
|                                                                                     | SCFIE28   | Elbow 90o FI x C 28 x 1"              |
|                                                                                     | SCFIE35   | Elbow 90o FI x C 35 x 1 1/4"          |
|                                                                                     | SCFIE42   | Elbow 90o FI x C 42 x 1 1/2"          |
|    | SCFIRE15B | Reducing Elbow 90 deg FI x C 15 x 3/4 |
|    | SCWPE15   | Wallplate Elbow FI x C 15 x 1/2       |
|                                                                                     | SCWPE22   | Wallplate Elbow FI x C 22 x 3/4       |
|   | SCMIE15   | Elbow 90o MI x C 15 x 1/2"            |
|                                                                                     | SCMIE22   | Elbow 90o MI x C 22 x 3/4"            |
|                                                                                     | SCMIE35   | Elbow 90o MI x C 35 x 1 1/4"          |
|                                                                                     | SCMIE42   | Elbow 90o MI x C 42 x 1 1/2"          |
|  | SCMIRE15B | Reducing Elbow 90 deg MI x C 15 x 3/4 |
|  | SCT15     | Equal Tee C x C x C 15                |
|                                                                                     | SCT22     | Equal Tee C x C x C 22                |
|                                                                                     | SCT28     | Equal Tee C x C x C 28                |
|                                                                                     | SCT35     | Equal Tee C x C x C 35                |
|                                                                                     | SCT67S    | Equal Tee C x C x C 67                |

# FITTINGS

## Capillary Fittings - NON SABS



|            |                                     |
|------------|-------------------------------------|
| SCRT151522 | Reducing Tee C x C x C 15 x 15 x 22 |
| SCRT221515 | Reducing Tee C x C x C 22 x 15 x 15 |
| SCRT221522 | Reducing Tee C x C x C 22 x 15 x 22 |
| SCRT222215 | Reducing Tee C x C x C 22 x 22 x 15 |
| SCRT222228 | Reducing Tee C x C x C 22 x 22 x 28 |
| SCRT282222 | Reducing Tee C x C x C 28 x 22 x 22 |
| SCRT282228 | Reducing Tee C x C x C 28 x 22 x 28 |
| SCRT282822 | Reducing Tee C x C x C 28 x 28 x 22 |
| SCRT353528 | Reducing Tee C x C x C 35 x 35 x 28 |



|         |                              |
|---------|------------------------------|
| SCFIT15 | Tee C x C x FI 15 x 15 x 1/2 |
|---------|------------------------------|



|        |                   |
|--------|-------------------|
| STEC15 | Tube End Cap 15mm |
| STEC22 | Tube End Cap 22mm |
| STEC35 | Tube End Cap 35mm |
| STEC54 | Tube End Cap 54mm |



|       |                           |
|-------|---------------------------|
| SFC15 | Full Crossover C x C 15mm |
| SFC22 | Full Crossover C x C 22mm |



|      |                 |
|------|-----------------|
| TS15 | Tube Strap 15mm |
| TS22 | Tube Strap 22mm |



# FITTINGS

## Compression Fittings - NON SABS



|      |                             |
|------|-----------------------------|
| CC15 | Straight Coupler C x C 15mm |
| CC22 | Straight Coupler C x C 22mm |
| CC28 | Straight Coupler C x C 28mm |
| CC35 | Straight Coupler C x C 35mm |
| CC42 | Straight Coupler C x C 42mm |
| CC54 | Straight Coupler C x C 54mm |



|       |                                    |
|-------|------------------------------------|
| CCM15 | Straight Coupler C x MI 15 x 1/2   |
| CCM22 | Straight Coupler C x MI 22 x 3/4   |
| CCM28 | Straight Coupler C x MI 28 x 1     |
| CCM35 | Straight Coupler C x MI 35 x 1 1/4 |
| CCM42 | Straight Coupler C x MI 42 x 1 1/2 |
| CCM54 | Straight Coupler C x MI 54 x 2     |



|        |                                    |
|--------|------------------------------------|
| CCFI15 | Straight Coupler C x FI 15 x 1/2   |
| CCFI22 | Straight Coupler C x FI 22 x 3/4   |
| CCFI28 | Straight Coupler C x FI 28 x 1     |
| CCFI35 | Straight Coupler C x FI 35 x 1 1/4 |
| CCFI42 | Straight Coupler C x FI 42 x 1 1/2 |
| CCFI54 | Straight Coupler C x FI 54 x 2     |



|       |                   |
|-------|-------------------|
| CCE15 | Elbows C x C 15mm |
| CCE22 | Elbows C x C 22mm |
| CCE28 | Elbows C x C 28mm |
| CCE35 | Elbows C x C 35mm |
| CCE54 | Elbows C x C 54mm |



|         |                        |
|---------|------------------------|
| CCMIE15 | Elbows C x MI 15 x 1/2 |
| CCMIE22 | Elbows C x MI 22 x 3/4 |
| CCMIE28 | Elbows C x MI 28 x 1   |



|         |                                |
|---------|--------------------------------|
| CCFIE15 | Elbow 90 deg C x FI 15 x 1/2   |
| CCFIE22 | Elbow 90 deg C x FI 22 x 3/4   |
| CCFIE28 | Elbow 90 deg C x FI 28 x 1     |
| CCFIE35 | Elbow 90 deg C x FI 35 x 1 1/4 |
| CCFIE54 | Elbow 90 deg C x FI 54 x 2     |



# FITTINGS

## Compression Fittings - NON SABS

|                                                                                     |            |                                           |
|-------------------------------------------------------------------------------------|------------|-------------------------------------------|
|    | CCFIWPE15  | Wallplate Elbows 90 deg C x FI 15 x 1/2   |
|                                                                                     | CCFIWPE22  | Wallplate Elbows 90 deg C x FI 22 x 3/4   |
|    | CCFISE15   | Swivel Elbow 90 deg C x FI 15 x 1/2 -SABS |
|    | CCT15      | Tees C x C x C 15mm                       |
|                                                                                     | CCT22      | Tees C x C x C 22mm                       |
|                                                                                     | CCT28      | Tees C x C x C 28mm                       |
|    | CCFIT15    | Tees C x C x FI 15 x 15 x 1/2             |
|                                                                                     | CCFIT22    | Tees C x C x FI 22 x 22 x 3/4             |
|   | CCR2215    | Reducing Straight Coupler C x C 22 x15    |
|  | CCMIR15B   | Reducing Straight Coupler C x MI 15 x 3/4 |
|  | CCFIR15B   | Reducing Straight Coupler C x FI 15 x 3/4 |
|  | CCRE2215   | Reducing Elbow C x C 22 x 15              |
|  | CCMIRE15B  | Reducing Elbow C x MI 15 x 3/4            |
|  | CCFIRE15B  | Reducing Elbow C x FI 15 x 3/4            |
|  | CCSE15     | Stop End 15mm                             |
|                                                                                     | CCSE22     | Stop End 22mm                             |
|  | CCTR151522 | Reducing Tee 15x15x22                     |
|                                                                                     | CCTR221515 | Reducing Tee 22x15x15                     |
|                                                                                     | CCTR221522 | Reducing Tee 22x15x22                     |
|                                                                                     | CCTR222215 | Reducing Tee 22x22x15                     |
|                                                                                     | CCTR222228 | Reducing Tee 22x22x28                     |

# FITTINGS

## Compression Fittings - NON SABS

|                                                                                     |           |                         |
|-------------------------------------------------------------------------------------|-----------|-------------------------|
|    | CPTA15    | Pillar Tap Adaptor 15mm |
|                                                                                     | CPTA22    | Pillar Tap Adaptor 22mm |
|    | CN15      | Spare Capnut 15mm       |
|                                                                                     | CN22      | Spare Capnut 22mm       |
|                                                                                     | CN28      | Spare Capnut 28mm       |
|                                                                                     | CN35      | Spare Capnut 35mm       |
|                                                                                     | CN42      | Spare Capnut 42mm       |
|                                                                                     | CN54      | Spare Capnut 54mm       |
|    | CR15S     | Spare Ring 15mm         |
|                                                                                     | CR22S     | Spare Ring 22mm         |
|                                                                                     | CR35S     | Spare Ring 35mm         |
|                                                                                     | CR42S     | Spare Ring 42mm         |
|  | CRSIP2215 | Reducer 22 x 15         |



# ACCESSORIES



|                                                                                     |           |                                               |
|-------------------------------------------------------------------------------------|-----------|-----------------------------------------------|
|    | FLUX 75   | Water soluble flux 75 gram                    |
|                                                                                     | FLUX 200  | Water soluble flux 200 gram                   |
|    | SOLD250/2 | Solder 2mm 250g                               |
|                                                                                     | SOLD500/2 | Solder 2mm 500g                               |
|                                                                                     | SOLD500/3 | Solder 3mm 500g                               |
|                                                                                     | SOLD/DIY  | DIY solder & flux kit                         |
|    | CIV15     | Isolating Valve NP 15mm                       |
|                                                                                     | CIV22     | Isolating Valve NP 22mm                       |
|    | CIV15WH   | Isolating Valve NP W/Handle                   |
|                                                                                     | CIV22WH   | Isolating Valve NP W/Handle                   |
|   | CVSA15    | Valve Swivel Angle NP 15mm                    |
|  | CVSS15    | Valve Swivel Straight NP 15mm                 |
|  | CWMTA15   | Washing Machine Tap Angle<br>15mm x 3/4"      |
|  | CWMTS15   | Washing machine tap straight<br>N/P 15 x 3/4" |
|  | HB15      | Holderbats 15mm Brass Plated                  |
|                                                                                     | HB22      | Holderbats 22mm Brass Plated                  |
|  | CXP TAPE  | Copper Expansive Protective Tape              |



## BRASS GARDEN TAP

| CTA Product Code | Description          |
|------------------|----------------------|
| LPTG15S          | Garden Tap 15mm SABS |



# ACCESSORIES

## PERFORATED COPPER STRIP




| CTA Product Code | Description             | Length in Metres | Thickness |
|------------------|-------------------------|------------------|-----------|
| PCS1.4M.4        | Perforated Copper Strip | 1,4              | 0.4mm     |
| PCS5M.4          | Perforated Copper Strip | 5                | 0.4mm     |
| PCS10M.4         | Perforated Copper Strip | 10               | 0.4mm     |

## GATE & BALL VALVES

|            |                     |
|------------|---------------------|
| GV100715S  | Gate Valve 15mm DZR |
| GV100722S  | Gate Valve 22mm DZR |
| BV1130115S | Ball Valve 15mm DZR |
| BV1130122S | Ball Valve 22mm DZR |

## COPPER FLOATS

| CTA Product Code | Description                 |
|------------------|-----------------------------|
| 4704             | 115 X 8MM SOLDERED C/BALLS  |
| 4710             | 125 X 8MM SOLDERED C/BALLS  |
| 4718             | 150 X 10MM SOLDERED C/BALLS |
| 4734             | 200 X 10MM SOLDERED C/BALLS |
| 4736             | 200 X 12MM SOLDERED C/BALLS |



# COPLON INSULATION

## Coplon

| CTA Product Code                 | Description                              | Length | Box Qty |
|----------------------------------|------------------------------------------|--------|---------|
| CLP6X6                           | ID 1/4" (6mm) *TK 6mm 1/4" COPLON        | 1.83m  | 250     |
| CLP10X6                          | ID 3/8" (9mm) *TK 6mm 1/4" COPLON        | 1.83m  | 200     |
| CLP13X6                          | ID 1/2" (13mm) *TK 6mm 1/4" COPLON       | 1.83m  | 268     |
| CLP16X6                          | ID 5/8" (16mm) *TK 6mm 1/4" COPLON       | 1.83m  | 133     |
| CLP19X6                          | ID 3/4" (19mm) *TK 6mm 1/4" COPLON       | 1.83m  | 113     |
| CLP22X6                          | ID 7/8" (22mm) *TK 6mm 1/4" COPLON       | 1.83m  | 80      |
| CLP16X09                         | ID 5/8" (16mm) *TK 9mm 3/8" COPLON       | 1.83m  | 90      |
| CLP22X09                         | ID 7/8" (22mm) *TK 9mm 3/8" COPLON       | 1.83m  | 65      |
| CLP16X10                         | ID 5/8" (16mm) *TK 10mm 3/8" COPLON      | 1.83m  | 90      |
| CLP22X10                         | ID 7/8" (22mm) *TK 10mm 3/8" COPLON      | 1.83m  | 65      |
| CLP16X10ST                       | ID 5/8" (16mm) *TK 10mm 3/8" COPLON SLIT | 1.83m  | 100     |
| CLP22X10ST                       | ID 7/8" (22mm) *TK 10mm 3/8" COPLON SLIT | 1.83m  | 75      |
| CLP51X10                         | ID 2" (51mm) *TK 10mm 3/8" COPLON SLIT   | 1.83m  | 24      |
| CLP6X13                          | ID 1/4" (6mm) *TK 13mm 1/2" COPLON       | 1.83m  | 100     |
| CLP13X13                         | ID 5/8" (16mm) *TK 13mm 1/2" COPLON      | 1.83m  | 72      |
| CLP16X13<br>COPLON LAGGING PLAIN | ID 5/8" (16mm) *TK 13mm 1/2" COPLON      | 1.83m  | 63      |
| CLP22X13                         | ID 7/8" (22mm) *TK 13mm 1/2" COPLON      | 1.83m  | 42      |
| CLP16X19                         | ID 5/8" (16mm) *TK 19mm 3/4" COPLON      | 1.83m  | 30      |
| CLP19X19                         | ID 3/4" (19mm) *TK 19mm 3/4" COPLON      | 1.83m  | 25      |
| CLP22X19                         | ID 7/8" (22mm) *TK 19mm 3/4" COPLON      | 1.83m  | 24      |
| CLP28X19                         | ID 1 1/8" (28mm) *TK 19mm 3/4" COPLON    | 1.83m  | 20      |
| CLP35X19                         | ID 1 3/8" (35mm) *TK 19mm 3/4" COPLON    | 1.83m  | 16      |
| CLP42X19<br>COPLON LAGGING PLAIN | ID 1 5/8" (42mm) *TK 19mm 3/4" COPLON    | 1.83m  | 16      |
| CLP54X19<br>COPLON LAGGING PLAIN | ID 2 1/8" (54mm) *TK 19mm 3/4" COPLON    | 1.83m  | 12      |
| CLP16X25<br>COPLON LAGGING PLAIN | ID 5/8" (16mm) *TK 25mm 1" COPLON R1     | 1.83m  | 20      |
| CLP22X25                         | ID 7/8" (22mm) *TK 25mm 1" COPLON R1     | 1.83m  | 18      |
| CLP28X25                         | ID 1 1/8" (28mm) *TK 25mm 1" COPLON R1   | 1.83m  | 16      |
| CLP35X25                         | ID 1 3/8" (35mm) *TK 25mm 1" COPLON R1   | 1.83m  | 12      |
| CLP42X25                         | ID 1 5/8" (42mm) *TK 25mm 1" COPLON R1   | 1.83m  | 12      |
| CLP54X25                         | ID 2 1/8" (54mm) *TK 25mm 1" COPLON R1   | 1.83m  | 9       |
| CLP67X25                         | ID 2 5/8" (67mm) *TK 25mm 1" COPLON R1   | 1.83m  | 8       |
| CLP76X25                         | ID 3" (76mm) *TK 25mm 1" COPLON R1       | 1.83m  | 8       |
| CLP108X25                        | ID 4-1/4" (108mm) *TK 25mm 1" COPLON R1  | 1.83m  | 6       |
| CFT50                            | COPLON FOAM TAPE 50MM X 3MM X 10MTR      | ROLL   | 40      |

# UNITWIST

| CODE    | DESCRIPTION                 |
|---------|-----------------------------|
| UT2000A | 15x15mm Coupler             |
| UT2000B | 22x22mm Coupler             |
| UT2000R | 15x22mm Coupler             |
| UT2020A | 15x15mm Elbow               |
| UT2020B | 22x22mm Elbow               |
| UT2020R | Red Elbow 15mm x 22mm       |
| UT2040A | 15mm Tee                    |
| UT2040B | 22mm Tee                    |
| UT2005A | 15mm Stop End               |
| UT2005B | 22mm Stop End               |
| UT2001A | Male Iron coupler 1/2"mm    |
| UT2001B | Male Iron coupler 3/4"mm    |
| UT2001R | Red MI coupler 15mmx 3/4"mm |
| UT2002A | Female Iron coupler 1/2"    |
| UT2002B | Female Iron coupler 3/4"    |
| UT2002R | Red FI coupler 15mm x 3/4"  |
| UT2021A | Male Iron Elbow 15mm x 1/2" |
| UT2021B | 22mm Male Elbow             |
| UT2021R | Red MI Elbow 15mm x 3/4"    |
| UT2022A | 15mm Female Elbow           |
| UT2022B | 22mm Female Elbow           |
| UT2022R | 15mmx3/4" Female Elbow      |
| UT2024A | 15mm Wallplate Elbow        |
| UT2024B | 22mm Wallplate Elbow        |

| CODE     | DESCRIPTION                   |
|----------|-------------------------------|
| UT2041A  | Female Tee Centre Female 1/2" |
| UT2041B  | Female Tee Centre Female 3/4" |
| UT2043A  | Reduced Tee Centre 15mm       |
| UT2044R  | Reduced Tee End 22x15x22      |
| UT2045R  | Reduced Tee 22mm Centre       |
| UT2080A  | Cap Nut 15mm                  |
| UT2080B  | Cap Nut 22mm                  |
| UT2081A  | Grip Ring 15mm                |
| UT2081B  | Grip Ring 22mm                |
| UT2082A  | Spacer 15mm                   |
| UT2082B  | Spacer 22mm                   |
| UT2083A  | O-Ring 15mm                   |
| UT2083B  | O-Ring 22mm                   |
| UT2084A  | 15mm Female Washer            |
| UT2084B  | 22MM Female Washer            |
| PCST15   | Stop Tap 15mm                 |
| PCST22   | Stop Tap 22mm                 |
| PC15BT   | Garden Bib Tap 15mm           |
| PC22BT   | Garden Bib Tap 22mm           |
| PCPT15-W | Pillar Tap 15mm White         |
| PC15SP   | Proclose 15mm Stand pipe      |
| PC22SP   | Proclose 22mm Stand pipe      |
| HB15U    | Wombat / Holderbat 15/16mm    |
| HB22U    | Wombat / Holderbat 20/22mm    |

## MULTILAYER PIPES

| CTA Product Code | Description                          | Packing Unit |
|------------------|--------------------------------------|--------------|
| MLP1550          | Multilayer Pipe 15mm x 50 Meter Roll | Single       |
| MLP2250          | Multilayer Pipe 22mm x 50 Meter Roll | Single       |
| PEX-INS19        | P/P (10) Pex Insert Pipe 15mm        | Pack of 10   |
| PEX-INS20        | P/P (100) Pex Insert 15mm            | Pack of 100  |
| PEX-INS26        | P/P (10) Pex Insert Pipe 22mm        | Pack of 10   |
| PEX-INS27        | P/P (100) Pex Insert 22mm            | Pack of 100  |
| HB19W            | P/P (10) UT Masterbat White 15mm     | Pack of 10   |
| HB20W            | P/P (100) UT Masterbat White 15mm    | Pack of 100  |
| HB26W            | P/P (10) UT Masterbat White 22mm     | Pack of 10   |
| HB27W            | P/P (100) UT Masterbat White 22mm    | Pack of 100  |

# POLYCOP

| CTA Code | Description                                    | Total Weight per Roll/Length |
|----------|------------------------------------------------|------------------------------|
| PA15-6   | Polycop Plastic Pipe 15mm x 6M straight length | 0,42                         |
| PA15-25  | Polycop Plastic Pipe 15mm x 25M Roll           | 1,75                         |
| PA15-50  | Polycop Plastic Pipe 15mm x 50M Roll           | 3,50                         |
| PA15-100 | Polycop Plastic Pipe 15mm x100M Roll           | 7,00                         |
| PA22-6   | Polycop Plastic Pipe 22mm x 6M straight length | 6,00                         |
| PA22-25  | Polycop Plastic Pipe 22mm x 25M Roll           | 3,15                         |
| PA22-50  | Polycop Plastic Pipe 22mm x 50M Roll           | 6,30                         |
| PA22-100 | Polycop Plastic Pipe 22mm x 100M Roll          | 12,60                        |



## POLYCOP FITTINGS

| CTA PRODUCT CODE | DESCRIPTION                            |
|------------------|----------------------------------------|
| PF2000A          | PF coupler straight c x c 15mm         |
| PF2000B          | PF coupler straight cxc 22mm           |
| PF2000R          | PF coupler straight cxc red 15x22mm    |
| PF2001A          | PF coupler male iron 15mm x 1/2"       |
| PF2001B          | PF coupler male iron 3/4" x 22mm       |
| PF2001R          | PF red coupler male iron 15mm x 3/4"   |
| PF2002A          | PF female iron coupler 1/2" x 15mm     |
| PF2002B          | PF female iron coupler 3/4" x 22mm     |
| PF2002R          | PF red female iron coupler 15mm x 3/4" |
| PF2005A          | PF stop end std 15mm                   |
| PF2005B          | PF stop end std 22mm                   |
| PF2020A          | PF elbow cxc 15mm                      |
| PF2020B          | PF elbow cxc 22mm                      |
| PF2020R          | PF elbow cxc reducing 22x15mm          |
| PF2021A          | PF male iron elbow 1/2" x 15mm         |
| PF2021B          | PF male iron elbow 3/4" x 22mm         |

| CTA PRODUCT CODE | DESCRIPTION                        |
|------------------|------------------------------------|
| PF2022A          | PF female iron elbow 1/2" x 15mm   |
| PF2022B          | PF female iron elbow 3/4" x 22mm   |
| PF2024A          | PF wallplate elbow cxf 15mm x 1/2" |
| PF2024B          | PF wallplate elbow cxf 22mm x 3/4" |
| PF2040A          | PF tee equal cxcxc 15mm            |
| PF2040B          | PF tee equal cxcxc 22mm            |
| PF2043A          | PF tee centre reducing cxcxc 22x22 |
| PF2080A          | PF cap nut 15mm                    |
| PF2080B          | PF cap nut 22mm                    |
| PF2081A          | PF grip ring 15mm                  |
| PF2081B          | PF grip ring 22mm                  |
| PF2082A          | PF spacer red spare 15mm           |
| PF2082B          | PF spacer red spare 22mm           |
| PF2083A          | PF o - ring 15mm                   |
| PF2083B          | PF o - ring 22mm                   |
| PF2084A          | PF washer for female fitting 15mm  |



# BRAIDED CONNECTORS



| CTA Product Code | Description                                  |
|------------------|----------------------------------------------|
| BCSS200X15S      | Braided connectors SABS 15 x 200 FXF         |
| BCSS350X15S      | Braided connectors SABS 15 x 350 FXF         |
| BCSS450X15S      | Braided connectors SABS 15 x 450 FXF         |
| BCSS600X15S      | Braided connectors SABS 15 x 600 FXF         |
| BCSS350M-F M10L  | Braided connectors SS 350 Mxf M10 long shank |
| BCSS450M-F M10L  | Braided connectors SS 450 Mxf M10 long shank |
| BCSS350M-F M10S  | Braided connectors SS 350 Mxf M10 long shank |
| BCSS450M-F M10S  | Braided connectors SS 450 Mxf M10 long shank |

# ADVANCED VALVES

| CTA Product Code | Description                                        |
|------------------|----------------------------------------------------|
| AD-S PCV400/15   | Advanced Valves Pressure Control Valve 400KPA      |
| AD-S PCV400/22   | Advanced Valves - Pressure Control Valve 400KPA    |
| AD-S PCV600/15   | Advanced Valves - Pressure Control Valve 600KPA/15 |
| AD-S PCV600/22   | Advanced Valves - Pressure Control Valve 600KPA    |
| AD-VB15          | Advanced Valves - 15mm Vacuum Breaker              |
| AD-VB22          | Advanced Valves - 22mm Vacuum Breaker              |
| AD - TPV400/MI   | A/V - 400KPA Male Temp and Press Relief Valve      |
| AD - TP400/FI    | A/V - 400KPA Female Temp and Press Relief Valve    |
| AD - TPV600/MI   | A/V - 600KPA Male Temp and Press Relief Valve      |
| AD - TPV600/FI   | A/V - 600KPA Female Temp and Press Relief Valve    |
| AD-M400          | M400 Recon Masterflow Valve                        |



# WASTE TRAPS

| PRODUCT CODE | DESCRIPTION                |
|--------------|----------------------------|
| W3232PP      | Plain "P" Trap 32 x 32mm   |
| W4040PP      | Plain "P" Trap 40 x 40mm   |
| W3240PP      | Plain "P" Trap 32 x 40mm   |
| W3232RP      | Reseal "P" Trap 32 x 32mm  |
| W4040RP      | Reseal "P" Trap 40 x 40mm  |
| W3240RP      | Reseal "P" Trap 32 x 40mm  |
| W3232PS      | Plain 'S' Trap 32 x 32mm   |
| W4040PS      | Plain 'S' Trap 40 x 40mm   |
| W3240PS      | Plain 'S' Trap 32 x 40mm   |
| W3232RS      | Reaseal 'S' Trap 32 x 32mm |
| W4040RS      | Reaseal 'S' Trap 40 x 40mm |
| W3240RS      | Reaseal 'S' Trap 32 x 40mm |

| PRODUCT CODE | DESCRIPTION                              |
|--------------|------------------------------------------|
| W3232MP      | Plain Mini 'S' Trap 32 x 32mm            |
| W4040MP      | Plain Mini 'S' Trap 40 x 40mm            |
| W3240MP      | Plain Mini 'S' Trap 32x 40mm             |
| W4040RMP     | Reseal Mini 'P' Trap 40 x 40mm           |
| W4040PPB     | Plain 'P' Bath Trap & Overflow 40 x 40mm |
| W4040RPB     | Reasel P Bath Trap & Overflow 40 x 40mm  |
| W300WTC      | 300mm Wash Trough Combination/DBL Bowl   |
| W600WTC      | 600mm Wash Trough Combination/DBL Bowl   |
| WA32CL       | 32mm Standard Clamps with Screws         |
| WA40CL       | 40mm Standard Clamps with Screws         |
| W4040RS      | Reaseal 'S' Trap 40 x 40mm               |
| W3240RS      | Reaseal 'S' Trap 32 x 40mm               |



# COPPER TUBE

## Refrigeration - R22



| Code       | Size (Inch) | Description | Weight | Wall   |
|------------|-------------|-------------|--------|--------|
| REF 6.35   | 1/4"        | 5.5 Meters  | 0,49   | 0.57mm |
| REF 9.53   | 3/8"        | 5.5 Meters  | 0,81   | 0.57mm |
| REF 12.70  | 1/2"        | 5.5 Meters  | 1,13   | 0.61mm |
| REF 15.88  | 5/8"        | 5.5 Meters  | 1,63   | 0.71mm |
| REF 19.05  | 3/4"        | 5.5 Meters  | 1,93   | 0.71mm |
| REF 22.23  | 7/8"        | 5.5 Meters  | 2,63   | 0.81mm |
| REF 28.58  | 1 1/8"      | 5.5 Meters  | 3,88   | 0.91mm |
| REF 34.93  | 1 3/8"      | 5.5 Meters  | 5,36   | 1.02mm |
| REF 41.28  | 1 5/8"      | 5.5 Meters  | 7,46   | 1.22mm |
| REF 53.98  | 2 1/8"      | 5.5 Meters  | 11,53  | 1.42mm |
| REF 66.68  | 2 5/8"      | 5.5 Meters  | 16,31  | 1.63mm |
| REF 79.38  | 3 1/8"      | 5.5 Meters  | 21,24  | 1.78mm |
| REF 92.08  | 3 5/8"      | 5.5 Meters  | 28,11  | 2.03mm |
| REF 104.78 | 4 1/8"      | 5.5 Meters  | 37,94  | 2.41mm |

## Co2



| Code      | Size (Inch) | Description | Weight | Wall   |
|-----------|-------------|-------------|--------|--------|
| Co2 6.35  | 1/4"        | 5.5 Meters  | 0,76   | 0.91mm |
| Co2 9.53  | 3/8"        | 5.5 Meters  | 1,21   | 0.91mm |
| Co2 12.70 | 1/2"        | 5.5 Meters  | 1,65   | 0.91mm |
| Co2 15.88 | 5/8"        | 5.5 Meters  | 2,33   | 1.02mm |
| Co2 19.05 | 3/4"        | 5.5 Meters  | 3,29   | 1.20mm |
| Co2 22.23 | 7/8"        | 5.5 Meters  | 4,18   | 1.30mm |
| Co2 28.58 | 1 1/8"      | 5.5 Meters  | 7,03   | 1.70mm |
| Co2 34.93 | 1 3/4"      | 5.5 Meters  | 11,27  | 2.20mm |

# COPPER TUBE

## Refrigeration - R410A

| CTA Code   | Size (Inch) | Description | Weight | Wall |
|------------|-------------|-------------|--------|------|
| R410 6.35  | 1/4"        | 5.5 Meters  | 0,761  | 0,91 |
| R410 9.53  | 3/8"        | 5.5 Meters  | 1,206  | 0,91 |
| R410 12.70 | 1/2"        | 5.5 Meters  | 1,650  | 0,91 |
| R410 15.88 | 5/8"        | 5.5 Meters  | 2,095  | 0,91 |
| R410 19.05 | 3/4"        | 5.5 Meters  | 2,539  | 0,91 |
| R410 22.23 | 7/8"        | 5.5 Meters  | 2,984  | 0,91 |
| R410 28.58 | 1 1/8"      | 5.5 Meters  | 5,133  | 1,22 |
| R410 34.93 | 1 3/8"      | 5.5 Meters  | 6,324  | 1,22 |
| R410 41.28 | 1 5/8"      | 5.5 Meters  | 7,516  | 1,22 |

## Soft Drawn Coils

| Description           | Size   | Diameter | Thickness | Length | Weight |
|-----------------------|--------|----------|-----------|--------|--------|
| Copper tube for R22   | (Inch) | O.D.(mm) | W.T. (mm) | L(m)   | Kg     |
| R22PC6.35             | 1/4    | 6,35     | 0,61      | 15,24  | 1,50   |
| R22PC9.52             | 3/8    | 9,52     | 0,61      | 15,24  | 2,33   |
| R22PC12.70            | 1/2    | 12,70    | 0,71      | 15,24  | 3,64   |
| R22PC15.88            | 5/8    | 15,88    | 0,71      | 15,24  | 4,61   |
| R22PC19.05            | 3/4    | 19,05    | 0,81      | 15,24  | 6,32   |
| R22PC22.23            | 7/8    | 22,23    | 0,91      | 15,24  | 8,31   |
| Copper tube for R410A |        |          |           |        |        |
| R410PC6.35            | 1/4    | 6,35     | 0,91      | 15,24  | 2,12   |
| R410PC9.52            | 3/8    | 9,52     | 0,91      | 15,24  | 3,35   |
| R410PC12.70           | 1/2    | 12,70    | 0,91      | 15,24  | 4,59   |
| R410PC15.88           | 5/8    | 15,88    | 0,91      | 15,24  | 5,83   |
| R410PC19.05           | 3/4    | 19,05    | 0,91      | 15,24  | 7,07   |
| R410PC22.23           | 7/8    | 22,23    | 0,91      | 15,24  | 10,26  |

# FITTINGS

## Imperial Fittings

| CTA CODE | DESCRIPTION                   |
|----------|-------------------------------|
| ICOU01   | Coupling C x C 3/8"           |
| ICOU02   | Coupling C x C 1/2"           |
| ICOU03   | Coupling C x C 5/8"           |
| ICOU04   | Coupling C x C 3/4"           |
| ICOU05   | Coupling C x C 7/8"           |
| ICOU06   | Coupling C x C 1 1/8"         |
| ICOU07   | Coupling C x C 1 3/8"         |
| ICOU08   | Coupling C x C 1 5/8"         |
| ICOU09   | Coupling C x C 2 1/8"         |
|          |                               |
| IE4501   | Elbow 45 C x C 3/8"           |
| IE4502   | Elbow 45 C x C 1/2"           |
| IE4503   | Elbow 45 C x C 5/8"           |
| IE4504   | Elbow 45 C x C 3/4"           |
| IE4505   | Elbow 45 C x C 7/8"           |
| IE4506   | Elbow 45 C x C 1 1/8"         |
|          |                               |
| IELR9001 | Elbow 90 LR C x C 3/8"        |
| IELR9002 | Elbow 90 LR C x C 1/2"        |
| IELR9003 | Elbow 90 LR C x C 5/8"        |
| IELR9004 | Elbow 90 LR C x C 3/4"        |
| IELR9005 | Elbow 90 LR C x C 7/8"        |
| IELR9006 | Elbow 90 LR C x C 1 1/8"      |
| IELR9007 | Elbow 90 LR C x C 1 3/8"      |
| IELR9008 | Elbow 90 LR C x C 1 5/8"      |
| IELR9009 | Elbow 90 LR C x C 2 1/8"      |
|          |                               |
| IES9001  | Elbow 90 C x C 3/8"           |
| IES9002  | Elbow 90 C x C 1/2"           |
| IES9003  | Elbow 90 C x C 5/8"           |
| IES9004  | Elbow 90 C x C 3/4"           |
| IES9005  | Elbow 90 C x C 7/8"           |
| IES9006  | Elbow 90 C x C 1 1/8"         |
| IES9007  | Elbow 90 C x C 1 3/8"         |
| IES9008  | Elbow 90 C x C 1 5/8"         |
| IES9009  | Elbow 90 C x C 2 1/8"         |
|          |                               |
| IRC02-01 | Coupling Reducing 1/2" - 3/8" |
| IRC03-02 | Coupling Reducing 5/8" - 1/2" |
| IRC03-04 | Coupling Reducing 5/8" - 3/4" |
| IRC04-05 | Coupling Reducing 3/4" - 7/8" |
| IRC05-03 | Coupling Reducing 7/8" - 5/8" |

| CTA CODE | DESCRIPTION                       |
|----------|-----------------------------------|
| IRC06-05 | Coupling Reducing 1 1/8" - 7/8"   |
| IRC07-06 | Coupling Reducing 1 3/8" - 1 1/8" |
| IRC08-07 | Coupling Reducing 1 5/8" - 1 3/8" |
| IRC09-08 | Coupling Reducing 2 1/8" - 1 5/8" |
|          |                                   |
| ITEE01   | Equal Tee C x C x C 3/8"          |
| ITEE02   | Equal Tee C x C x C 1/2"          |
| ITEE03   | Equal Tee C x C x C 5/8"          |
| ITEE04   | Equal Tee C x C x C 3/4"          |
| ITEE05   | Equal Tee C x C x C 7/8"          |
| ITEE06   | Equal Tee C x C x C 1 1/8"        |
| ITEE07   | Equal Tee C x C x C 1 3/8"        |
| ITEE08   | Equal Tee C x C x C 1 5/8"        |
| ITEE09   | Equal Tee C x C x C 2 1/8"        |
|          |                                   |
| IPT03    | Copper P-Trap 5/8"                |
| IPT04    | Copper P-Trap 3/4"                |
| IPT05    | Copper P-Trap 7/8"                |
| IPT06    | Copper P-Trap 1 1/8"              |
| IPT08    | Copper P-Trap 1 5/8"              |
| IPT09    | Copper P-Trap 2 1/8"              |
|          |                                   |
| IRB02-04 | Reducing Bush 1/2 - 3/4"          |
| IRB03-01 | Reducing Bush 5/8 - 3/8"          |
| IRB03-02 | Reducing Bush 5/8 - 1/2"          |
| IRB03-04 | Reducing Bush 5/8 - 3/4"          |
| IRB04-05 | Reducing Bush 3/4 - 7/8"          |
| IRB05-02 | Reducing Bush 7/8 X 1/2"          |
| IRB05-03 | Reducing Bush 7/8 X 5/8"          |
| IRB06-02 | Reducing Bush 1 1/8 X 7/8"        |
| IRB06-04 | Reducing Bush 1 1/8 X 3/4"        |
| IRB06-05 | Reducing Bush 1 1/8 X 7/8"        |
| IRB07-06 | Reducing Bush 1 3/8 X 1 1/8"      |
| IRB08-07 | Reducing Bush 1 5/8 X 1 3/8"      |
| IRB09-08 | Reducing Bush 2 1/8 X 1 3/8"      |
|          |                                   |
| ITS01    | Tube Strap 1/4"                   |
| ITS03    | Tube Strap 5/8"                   |
| ITS05    | Tube Strap 7/8"                   |
| ITS09    | Tube Strap 1/4"                   |

# COPPER TUBE

## Medical Grade Copper Tube

| Code         | Size (inches) | Description        | Weight | Wall |
|--------------|---------------|--------------------|--------|------|
| MED 6.35     | 1/4"          | 5.5 Meters Lengths | 0,60   | 0,71 |
| MED 9.53     | 3/8"          | 5.5 Meters Lengths | 0,90   | 0,71 |
| MED 12.70    | 1/2"          | 5.5 Meters Lengths | 1,51   | 0,76 |
| MED 15.88    | 5/8"          | 5.5 Meters Lengths | 1,89   | 0,81 |
| MED 19.05    | 3/4"          | 5.5 Meters Lengths | 2,39   | 0,89 |
| MED 22.23    | 7/8"          | 5.5 Meters Lengths | 3,18   | 1,02 |
| MED 28.58    | 1 1/8"        | 5.5 Meters Lengths | 4,13   | 1,02 |
| MED 34.93    | 1 3/8"        | 5.5 Meters Lengths | 6,09   | 1,22 |
| MED 41.28    | 1 5/8"        | 5.5 Meters Lengths | 8,17   | 1,40 |
| MED 53.98    | 2 1/8"        | 5.5 Meters Lengths | 12,33  | 1,65 |
| MED 66.68    | 2 5/8"        | 5.5 Meters Lengths | 17,77  | 1,78 |
| MED 79.38    | 3 1/8"        | 5.5 Meters Lengths | 24,15  | 2,03 |
| MED 7.94 HP  | 5/16"         | 5.5 Meters Lengths | 1,55   | 1,63 |
| MED 15.88 HP | 5/8"          | 5.5 Meters Lengths | 6,29   | 3,25 |
| MED 22.23 HP | 7/8"          | 5.5 Meters Lengths | 9,62   | 3,25 |
| MED 25.40 HP | 1"            | 5.5 Meters Lengths | 11,1   | 3,25 |

## **COPPER TUBING AFRICA HEAD OFFICE**

### **Johannesburg**

**New Business Development: Mark Wynn**

**Sales and Marketing: Gary Laing**

36 Hospital Street, Cleveland, Johannesburg, 2094

☎ +27 11 615 7193

☎ +27 11 622 2584

✉ info@cta.co.za

### **Cape Town**

**Branch Manager: Werner Gerbach**

3A Trans Oranje Street, Tygerberg Business Park, Parow, Industria 7493

☎ +27 21 951 8855

☎ +27 21 951 8877

✉ cta-ctn@cta.co.za

### **Durban**

**Branch Manager: Hassen Goolam**

Unit 3, MilPark Complex, 37 Milner Street, Jacobs, Durban, 4052

☎ +27 31 461 4952

☎ +27 31 461 4953

✉ cta-dbn@cta.co.za

### **Port Elizabeth**

**Branch controller: Michael Steenkamp**

39B Patterson Road, North End, Port Elizabeth

☎ +27 41 486 1136

☎ +27 41 484 1082

✉ cta-pe@cta.co.za



[www.coppertubing.co.za](http://www.coppertubing.co.za)

## SALES REPRESENTATIVE CONTACT DETAILS

### Johannesburg team

#### Plumbing, Refrigeration and Medical

**Ernest Kolensie:** ☎ 011 615 7193 📱 083 734 8594 ✉ [ernest@cta.co.za](mailto:ernest@cta.co.za)

**Elvin Naidoo** ☎ 011 615 7193 📱 084 759 4042 ✉ [elvin@cta.co.za](mailto:elvin@cta.co.za)

#### Industrial

**Jonathan Lyons:** ☎ 011 615 7193 📱 071 872 8450 ✉ [jonathan@cta.co.za](mailto:jonathan@cta.co.za)

**Elvin Naidoo:** ☎ 011 615 7193 📱 084 759 4042 ✉ [elvin@cta.co.za](mailto:elvin@cta.co.za)

### Soweto, Limpopo, Hammanskraal, Soshanguve, Mabopane, Botswana

**John Hadebe** 📱 00 267 7271 2578 (Botswana) ✉ [john@cta.co.za](mailto:john@cta.co.za)

📱 072 624 0812

### Mpumalanga, Rustenburg, Brits, Swaziland, Namibia

**Ernest Kolensie:** 📱 083 734 8594 ✉ [ernest@cta.co.za](mailto:ernest@cta.co.za)

### Free state, Johannesburg, Vereeniging, North West, Northern Cape, Lesotho and Zimbabwe

**Sydney Haupt:** 📱 076 884 8502 ✉ [sydney@cta.co.za](mailto:sydney@cta.co.za)

### Kwa Zulu Natal

**Hassen Goolam:** ☎ 031 461 4952 📱 082 447 1397 ✉ [cta-dbn@cta.co.za](mailto:cta-dbn@cta.co.za)

### Eastern Cape

**Michael Steenkamp:** 📱 082 523 5677 ✉ [mike@cta.co.za](mailto:mike@cta.co.za)

**Pandora Mngcongela:** ☎ 041 486 1136 📱 082 523 5677 ✉ [pandora@cta.co.za](mailto:pandora@cta.co.za)

### Western Cape

**Werner Gerbach** ☎ 021 951 8855 📱 082 758 0292 ✉ [werner@cta.co.za](mailto:werner@cta.co.za)

